

Percentages of the Total 2006 Population in Selected Age-Race-Sex Groups, Rockingham County						
Indicator	Population in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
		91,830	8,860,341			
Total White Males	35,943	39.1%	37.2%	31.6% - 42.7%		
White Males 0-64	31,166	34.0%	33.0%	28.0% - 37.9%		
White Males 65+	4,777	5.2%	4.1%	3.4% - 4.7%		X
Total White Females	37,379	40.7%	37.3%	31.7% - 42.8%		
White Females 0-14	6,540	7.1%	6.8%	5.7% - 7.8%		
White Females 15-44	13,766	14.9%	14.9%	12.6% - 17.1%		
White Females 45+	17,073	18.5%	15.4%	13.0% - 17.7%		X
Total Minority Males	8,761	9.5%	12.1%	10.2% - 13.9%	X	
Minority Males 0-64	7,911	8.6%	11.3%	9.6% - 12.9%	X	
Minority Males 65+	850	0.93%	0.79%	.67% - .90%		X
Total Minority Females	9,747	10.6%	13.3%	11.3% - 15.2%	X	
Minority Females 0-14	1,837	2.0%	3.0%	2.5% - 3.4%	X	
Minority Females 15-44	3,874	4.2%	6.0%	5.1% - 6.9%	X	
Minority Females 45+	4,036	4.4%	4.3%	3.6% - 4.9%		
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						1
Population Projections and Other Selected Population Data, Rockingham County						
Indicator	Number in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Year July 2010						
Percent Young (<19 Years Old)	22,752	24.6%	26.9%	22.8% - 30.9%		
Percent Elderly (65 Years and Older)	14,525	15.7%	12.4%	10.5% - 14.2%		X
Year July 2015						
Percent Young (<19 Years Old)	21,998	23.6%	26.5%	22.5% - 30.4%		
Percent Elderly (65 Years and Older)	16,250	17.4%	13.6%	11.5% - 15.6%		X
Other						
Annual Percent Net Migration, 2005		-0.2	1.1	.93% - 1.2%		X

Unemployment Rate, December 2007		5.5	4.7	3.9% - 5.4%		X	
Per Capita Personal Income		\$25,418	\$31,041	\$26,384 - \$35,697		X	
Percent Individuals Living in Poverty, 2005		14.8%	14.9%	12.6% - 17.1%			
Percent Individuals Served in Food and Nutrition Services	10,011	58.3%	66.7%	56.6% - 76.7%			
Sources: North Carolina State Demographics, 2007							
Office of the Governor							
Employment Security Commission of North Carolina, 2008							
2007 UNC Sheps Center for Health Services Research							
2005 U.S. Census Bureau- Small Area Income & Poverty Estimates							
DSS Performance Management/Reporting and Evaluation Mgt., 2007							2
Live Birth Rates, 2002-2006 Rockingham County							
Indicator	Number of Events	County	North Carolina	State Average			
	in Rockingham	Rate	Rate	Range			
	County		per 1,000		Low	High	
Total Live Birth Rate	5,423	11.8	14.2	12.0 - 16.3	X		
White Live Birth Rate	4,414	12.0	13.8	11.7 - 15.8			
Minority Live Birth Rate	1,009	10.8	15.3	13.0 - 17.5	X		
Pregnancy, Fertility, Abortion Rates for Women Ages 15-44 per 1,000, 2006 Rockingham County							
Indicator	Number of Event	County	North	State Average			
	in Rockingham	Rate	Carolina	Range			
	County		Rate		Low	High	
Total Pregnancy Rate	1,282	72.7	84.8	72.0 - 97.5			
White Pregnancy Rate	954	69.3	79.1	67.2 - 90.9			
Minority Pregnancy Rate	313	80.8	93.2	79.2 - 107.1			
Total Fertility Rate	1,071	60.7	68.5	58.2 - 78.7			
White Fertility Rate	844	61.3	69.3	58.9 - 79.6			
Minority Fertility Rate	227	58.6	66.7	56.6 - 76.7			
Total Abortion Rate	203	11.5	15.8	13.4-18.1	X		

White Abortion Rate	104	7.6	9.5	8.0 - 10.9	X		
Minority Abortion Rate	84	21.7	25.8	21.9 - 29.6	X		
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						3	
Teenage (Ages 15-19) Pregnancy, Fertility, Abortion Rates per 1,000, 2006 Rockingham County							
Indicator	Number of Events	County	North	State Average			
	in Rockingham	Rate	Carolina	Range			
	County		Rate		Low	High	
Total Pregnancy Rate	196	69.6	63.1	53.6 - 72.5			
White Pregnancy Rate	132	61.4	52.9	44.9 - 60.8		X	
Minority Pregnancy Rate	63	94.7	82.1	69.7 - 94.4		X	
Total Fertility Rate	162	57.5	48.3	41.0 - 55.5		X	
White Fertility Rate	113	52.6	42.8	36.3 - 49.2		X	
Minority Fertility Rate	49	73.7	60.0	51.0 - 69.0		X	
Total Abortion Rate	32	11.4	14.5	12.3 - 16.6	X		
White Abortion Rate	17	7.9	9.8	8.3 - 11.2	X		
Minority Abortion Rate	14	21.1	21.3	18.1 - 24.4			
Teenage Pregnancy Data, 2006 Rockingham County							
Indicator	Number of Events		Number of Events	State Average			
	in Rockingham		in North Carolina	Range	Low	High	
	County						
10-19 Year Old Pregnancies	199		19,548				
Estimated Pregnancies 10-14 Years Old	3		405				
Estimated Pregnancies 15-17 Years Old	68		6,161				
Estimated Pregnancies 18-19 Years Old	128		13,031				
Number of Repeat Pregnancies 15-19 Years Old	66		5,466				
Percent of Repeat Pregnancies	33.7%		28.5%	24.2% - 32.7%		X	

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008							
Adolescent Pregnancy Prevention Coalition of North Carolina, 2008 Fast Stats							4
Indicators of Need for Family Planning Services, 2002-2006, Rockingham County							
Indicator	Number of Events	County	North	State Average			
	in Rockingham	Percent	Carolina	Range			
	County		Percent		Low	High	
Percent High Parity Births, Mothers >30 Years	766	19.7%	18.1%	15.3% - 20.8%			
Percent High Parity Births, Mothers 30+ Years	250	16.2%	19.1%	16.2% - 21.9%			
Percent Short Interval Births	512	13.8%	12.2%	10.3% - 14.0%			
Year 2010 Objectives Related to Pregnancy and Birth, 2002-2006, Rockingham County							
Indicator	Number of Events	County	North	State Average			
	in Rockingham	Rate	Carolina	Range			
	County		Rate		Low	High	
Total % Low Birth Weight (<2500 Grams)	523	9.6%	9.1%	7.7% - 10.4%			
White % Low Birth Weight (<2500 Grams)	390	8.8%	7.4%	6.2% - 8.5%			X
Minority % Low Birth Weight (<2500 Grams)	133	13.2%	13.5%	11.4% - 15.5%			
Total % Very Low Birth Weight (<1500 Grams)	95	1.8%	1.9%	1.6% - 2.1%			
Black % Low Birth Weight (<2500 Grams)	128	13.4%	14.3%	12.1% - 16.4%			
Black % Very Low Birth Weight (<1500 Grams)	35	3.7%	3.6%	3.0% - 4.1%			
Total % Receiving Early Prenatal Care	4,573	84.3%	83.0%	70.5% - 95.4%			
Black % Receiving Early Prenatal Care	742	77.9%	75.4%	64.0% - 86.7%			
Native American % Receiving Early Prenatal Care	17	89.5%	79.3%	67.4% - 91.1%			
Primary % Births Delivered by Cesarean Section	1,558	28.7%	28.7%	24.3% - 33.0%			
White Pregnancy Rate, Age 15-17	255	39.0	28.5	24.2 - 32.7			X
Minority Pregnancy Rate, Ages 15-17	98	49.1	51.3	43.6 - 58.9			
Total Pregnancy Rate, Ages 15-17	356	41.7	36.1	30.6 - 41.5			X
% of Births to Mothers who Smoke	1,090	20.1%	12.4%	10.5% - 14.2%			X

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						5
Fetal, Neonatal, Postneonatal, and Infant Death Rates per 1000, 2002-2006, Rockingham County						
Indicator	Number of Events	County	North	State Average		
	in Rockingham	Rate	Carolina	Range		
	County		Rate		Low	High
Total Fetal Death Rate (Deliveries)	49	9.0	7.0	5.9 - 8.0		X
White Fetal Death Rate	32	7.2	5.2	4.4 - 5.9		X
Minority Fetal Death Rate	17	16.6	11.7	9.9 - 13.4		X
Total Neonatal Death Rate (<28 Days)	33	6.1	5.8	4.9 - 6.6		
White Neonatal Death Rate	29	6.6	4.1	3.4 - 4.7		X
Minority Neonatal Death Rate	4	4.0	10.3	8.7 - 11.8	X	
Total Postneonatal Death Rate (28 Days -1Year)	19	3.5	2.6	2.2 - 2.9		X
White Postneonatal Death Rate	14	3.2	2.0	1.7 - 2.3		X
Minority Postneonatal Death Rate	5	5.0	4.2	3.5 - 4.8		X
Total Infant Death Rate (<1 Year)	52	9.6	8.4	7.1 - 9.6		
White Infant Death Rate	43	9.7	6.1	5.1 - 7.0		X
Minority Infant Death Rate	9	8.9	14.5	12.3 - 16.6	X	
Black Infant Death Rate	9	9.5	15.9	13.5 -18.2	X	
Unadjusted Death Rates per 1,000 Population, Rockingham County						
Indicator	Number of Deaths	County	North	State Average		
	in Rockingham	Rate	Carolina	Range		
	County		Rate		Low	High
Unadjusted Death Rates						
2006	1,122	1,221.8	839.9	713.9 - 965.8		X
2002-2006	5,300	1,150.2	854.6	726.4 - 982.7		X

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008					6	
Age-Specific Death Rates for Selected Causes for Persons Ages 0-19 Years per 100,000, 2002-2006, Rockingham County						
Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Cancer-All Sites	2	1.7	2.3	1.9 - 2.6	X	
Congenital Anomalies (Birth Defects)	12	10.4	8.9	7.5 - 10.2		X
Other Unintentional Injuries	12	10.4	5.8	4.9 - 6.6		X
Sudden Infant Death Syndrome (SIDS)	9	7.8	4.1	3.4 - 4.7		X
Conditions originating in the perinatal period	22	19.0	23.7	20.1 - 27.2	X	
Motor Vehicle Injuries	22	19.0	11.8	10.0 - 13.5		X
Suicide	1	0.9	2.0	1.7 - 2.3	X	
Homicide	4	3.5	3.8	3.2 - 4.3		
Diseases of Heart	2	1.7	2.0	1.7 - 2.3		
Pneumonia & Influenza	1	0.9	0.8	.68 - .92		
Total Deaths- All Causes	104	89.9	76.6	65.1 - 88.0		X
Age-Specific Death Rates for Selected Causes for Persons Ages 20-39 Years per 100,000, 2002-2006, Rockingham County						
Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
HIV Diseases	7	6.0	5.4	4.5 - 6.2		
Cancer-All Sites	18	15.3	11.3	9.6 - 12.9		X
Disease of the Heart	27	23.0	11.0	9.3 - 12.6		X
Other Unintentional Injuries	35	29.8	18.9	16.0 - 21.7		X
Motor Vehicle Injuries	50	42.6	25.0	21.2 - 28.7		X
Suicide	18	15.3	13.6	11.5 - 15.6		
Homicide	17	14.5	13.6	11.5 - 15.6		
Cerebrovascular Disease	3	2.6	2.2	1.8 - 2.5		X

Diabetes Mellitus	2	1.7	1.9	1.6 -2.1		
Congenital Anomalies (Birth Defects)	2	1.7	1.2	1.0 - 1.3		X
Total Deaths- All Causes	207	176.2	126.4	107.4 - 145.3		X
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						
Age-Specific Death Rates for Selected Causes for Persons Ages 40-64 Years per 100,000, 2002-2006, Rockingham County						
Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Cancer-All Sites	333	210.1	186.8	158.5 - 214.4		
Diabetes Mellitus	42	26.5	22.5	19.1 - 25.8		X
Diseases of the Heart	262	165.3	130.7	111.0 - 150.3		X
Cerebrovascular Disease	45	28.4	24.3	20.6 - 27.9		X
Chronic Liver Disease and Cirrhosis	30	18.9	16.5	14.0 - 18.9		
Other Unintentional Injuries	53	33.4	25.9	22.0 - 29.7		X
Motor Vehicle Injuries	32	20.2	17.9	15.2 - 20.5		
Suicide	26	16.4	16.6	14.1 - 19.0		
Chronic Lower Respiratory Disease	51	32.2	20.7	17.5 - 23.8		X
Total Deaths- All Causes	1,089	687.2	597.8	508.1 - 687.4		
Age-Specific Death Rates for Selected Causes for Persons Ages 65-84 Years per 100,000, 2002-2006, Rockingham County						
Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Cancer-All Sites	696	1,154.2	1,009.30	857.9 - 1,160.6		
Diabetes Mellitus	101	167.5	133.8	113.7 - 153.8		X
Diseases of the Heart	608	1,008.30	944.3	802.6 - 1,085.9		
Cerebrovascular Disease	197	326.7	262.7	223.2 - 302.1		X
Pneumonia & Influenza	74	122.7	84.2	71.5 - 96.8		X
Chronic Lower Respiratory Disease	209	346.6	279.2	237.3 - 321.0		X
Alzheimer's Disease	47	77.9	102.0	86.7 - 117.3	X	
Nephritis, Nephrotic Syndrome, & Nephrosis	61	101.2	86.1	73.1 - 99.0		X
Septicemia	58	96.2	66.8	56.7 - 76.8		X

Other Unintentional Injuries	39	64.7	62.3	52.9 - 71.6			
Total Deaths- All Causes	2,544	4,218.80	3,754.50	3,191.3 - 4,317.5			
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						8	
Age-Specific Death Rates for Selected Causes for Persons Ages 85+ Years per 100,000, 2002-2006, Rockingham County							
Indicator	Number of Deaths	County	North	State Average			
	in Rockingham	Rate	Carolina	Range			
	County		Rate		Low	High	
Cancer-All Sites	155	1,755.6	1,645.7	1,398.8 - 1,892.5			
Diabetes Mellitus	32	362.4	324.5	275.8 - 373.1			
Diseases of the Heart	411	4,655.1	4,494.3	3,820.1 - 5,168.4			
Cerebrovascular Disease	153	1,732.9	1,514.1	1,286.9 - 1,741.2			
Pneumonia & Influenza	58	656.9	673.2	572.2 - 774.1			
Chronic Lower Respiratory Disease	72	815.5	615.3	523.0 - 707.5			X
Alzheimer's Disease	68	770.2	1017.3	864.7 - 1,169.8	X		
Nephritis, Nephrotic Syndrome, & Nephrosis	39	441.7	346.3	294.3 - 398.2			X
Other Unintentional Injuries	31	351.1	319.5	271.5 - 367.4			
Pneumonia due to solids & liquids	30	339.8	259.9	220.9 - 298.8			X
Total Deaths- All Causes	1,356	15,358.5	14,806.7	12,585.6 - 17,027.7			
Age-Specific Death Rates for Selected Causes for the Total Population per 100,000, 2002-2006 Rockingham County							
Indicator	Number of Deaths	County	North	State Average			
	in Rockingham	Rate	Carolina	Range			
	County		Rate		Low	High	
Total Deaths- All Causes	5,300	1,150.20	854.6	726.4 - 982.7			X
Cancer- All Sites	1,204	261.3	193.0	164.0 - 221.9			X
Diabetes Mellitus	177	38.4	26.4	22.4 - 30.3			X
Diseases of the Heart	1,310	284.3	209.0	177.6 - 240.3			X
Cerebrovascular Disease	399	86.6	57.8	49.1 - 66.4			X
Pneumonia & Influenza	147	31.9	21.2	18.0 - 24.3			X
Chronic Lower Respiratory Disease	333	72.3	45.1	38.3 - 51.8			X
Other Unintentional Injuries	170	36.9	26.4	22.4 - 30.3			X

Motor Vehicle Injuries	126	27.3	19.3	16.4 - 22.1		X	
Alzheimer's Disease	116	25.2	25.6	21.7 - 29.4			
Nephritis, Nephrotic Syndrome, & Nephrosis	121	26.3	17.4	14.7 - 20.0		X	
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						9	
Age-Adjusted Death Rates for Selected Causes for White Males per 100,000, 2002-2006, Rockingham County							
Indicator	Number of Deaths	County	North	Average			
	in Rockingham	Rate	Carolina	State Range			
	County		Rate		Low	High	
Diseases of the Heart	534	295.7	266.0	226.1 - 305.9			
Cerebrovascular Disease	110	66.5	57.0	48.4 - 65.5		X	
Cancer-All Sites	534	282.9	238.5	202.7 - 274.2		X	
Colon, Rectum, and Anus Cancer	51	27.5	20.5	17.4 - 23.5		X	
Prostate Cancer	43	24.9	23.2	19.7 - 26.6			
Diabetes Mellitus	55	29.1	25.2	21.4 - 28.9		X	
Pneumonia and Influenza	57	34.3	26.3	22.3 - 30.2		X	
Chronic Lower Respiratory	139	77.0	62.1	52.7 - 71.4		X	
Chronic Liver Disease and Cirrhosis	35	17.2	12.4	10.5 - 14.2		X	
Septicemia	32	18.0	13.7	11.6 - 15.7		X	
Nephritis, Nephrosis, and Neph. Syndrome	41	23.4	18.1	15.3 - 20.8		X	
Motor Vehicle Unintentional Injuries	66	39.0	26.6	22.6 - 30.5		X	
All Other Unintentional Injuries	81	45.1	37.2	31.6 - 42.7		X	
Suicide	50	27.1	21.7	18.4 - 24.9		X	
Homicide	17	9.2	6.0	5.1 - 6.9		X	
HIV	3	1.7	2.4	2.0 - 2.7	X		
Alzheimer's Disease	27	17.4	23.0	19.5 - 26.4	X		
Total Deaths-All Causes	2,102	1,168.0	1,014.2	862.0 - 1,166.3		X	
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						10	
Age-Adjusted Death Rates for Selected Causes for White Females per 100,000, 2002-2006, Rockingham County							
Indicator	Number of Deaths	County	North	Average			
	in Rockingham	Rate	Carolina	State Range			

	County		Rate		Low	High
Diseases of the Heart	517	177.9	166.7	141.6 - 191.7		
Cerebrovascular Disease	207	71.7	55.3	47.0 - 63.5		X
Cancer- All Sites	458	176.6	157.7	134.0 - 181.3		
Colon, Rectum, and Anus Cancer	50	18.5	14.3	12.1 - 16.4		X
Breast Cancer	64	25.1	23.5	19.9 - 27.0		
Diabetes Mellitus	76	28.0	18.3	15.5 - 21.0		X
Pneumonia and Influenza	68	23.1	20.6	17.5 - 23.6		
Chronic Lower Respiratory	153	56.1	44.0	37.4 - 50.6		X
Chronic Liver Disease and Cirrhosis	17	6.4	5.8	4.9 - 6.6		
Septicemia	50	17.8	11.9	10.1 - 13.6		X
Nephritis, Nephrosis, and Neph. Syndrome	50	16.9	12.5	10.6 - 14.3		X
Motor Vehicle Unintentional Injuries	37	19.2	12.0	10.2 - 13.8		X
All Other Unintentional Injuries	64	26.9	20.4	17.3 - 23.4		X
Suicide	12	6.2	5.9	5.0 - 6.7		
Homicide	5	2.4	2.5	2.1 - 2.8		
HIV	0	0.0	0.5	.42 - 57		
Alzheimer's Disease	82	26.3	31.8	27.0 - 36.5	X	
Total Deaths-All Causes	2,212	808.5	716.4	608.9 - 823.8		
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						11
Age-Adjusted Death Rates for Selected Causes for Minority Males per 100,000, 2002-2006, Rockingham County						
Indicator	Number of Deaths	County	North	Average		
	in Rockingham	Rate	Carolina	State Range		
	County		Rate		Low	High
Diseases of the Heart	132	357.8	314.0	266.9 - 361.1		
Cerebrovascular Disease	37	105.0	85.8	72.9 - 98.6		X
Cancer - All Sites	120	332.7	304.6	258.9 - 350.2		
Colon, Rectum, and Anus Cancer	14	35.4	28.3	24.0 - 32.5		X
Prostate Cancer	20	63.0	60.3	51.2 - 69.3		
Diabetes Mellitus	18	49.9	54.4	46.2 - 62.5		
Pneumonia and Influenza	11	36.2	27.5	23.3 - 31.6		X
Chronic Lower Respiratory	24	70.4	48.2	40.9 - 55.4		X

Chronic Liver Disease and Cirrhosis	3	6.0	12.4	10.5 - 14.2	X		
Septicemia	10	28.7	25.4	21.5 - 29.2			
Nephritis, Nephrosis, and Neph. Syndrome	14	37.5	37.7	32.0 - 43.3			
Motor Vehicle Unintentional Injuries	19	45.4	29.7	25.2 - 34.1		X	
All Other Unintentional Injuries	17	41.7	32.4	27.5 - 37.2		X	
Suicide	5	12.2	9.3	7.9 - 10.6		X	
Homicide	17	38.7	26.0	22.1 - 29.9		X	
HIV	9	19.6	23.5	19.9 - 27.0	X		
Alzheimer's Disease	3	10.4	17.0	14.4 - 19.5	X		
Total Deaths-All Causes	516	1,410.3	1,282.9	1,090.4 - 1,475.3			
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						12	
Age-Adjusted Death Rates for Selected Causes for Minority Females per 100,000, 2002-2006, Rockingham County							
Indicator	Number of Deaths	County	North	Average			
	in Rockingham	Rate	Carolina	State Range			
	County		Rate		Low	High	
Diseases of the Heart	127	218.5	205.0	174.2 - 235.7			
Cerebrovascular Disease	45	76.5	75.5	64.1 - 86.8			
Cancer- All Sites	92	163.9	172.6	146.7 - 198.4			
Colon, Rectum, and Anus Cancer	8	14.6	20.0	17.0 - 23.0	X		
Breast Cancer	16	28.5	32.1	27.2 - 36.9			
Diabetes Mellitus	28	47.5	50.7	43.0 - 58.3			
Pneumonia and Influenza	11	18.5	17.2	14.6 - 19.7			
Chronic Lower Respiratory	17	29.0	19.1	16.2 - 21.9		X	
Chronic Liver Disease and Cirrhosis	3	5.2	4.7	3.9 - 5.4			
Septicemia	10	17.3	20.1	17.0 - 23.1			
Nephritis, Nephrosis, and Neph. Syndrome	16	28.8	31.6	26.8 - 36.3			
Motor Vehicle Unintentional Injuries	4	9.1	10.3	8.7 - 11.8			
All Other Unintentional Injuries	8	14.5	13.8	11.7 - 15.8			
Suicide	0	0.0	2.0	1.7 - 2.3	X		
Homicide	1	2.1	5.4	4.5 - 6.2	X		
HIV	4	8.5	10.8	9.1 - 12.4	X		
Alzheimer's Disease	4	5.9	23.5	19.9 - 27.0	X		
Total Deaths-All Causes	470	820.6	852.6	724.7 - 980.4			

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						13	
Age-Adjusted Death Rates for Selected Causes for the Total Population per 100,000 Population, 2002-2006, Rockingham County							
Indicator	Number of Deaths	County	North	Average			
	in Rockingham	Rate	Carolina	State Range			
	County		Rate		Low	High	
Diseases of the Heart	1,310	238.3	217.9	185.2 - 250.5			
Cerebrovascular Disease	399	72.4	61.1	51.9 - 70.2		X	
Cancer- All Sites	1,204	218.8	196.4	166.9 - 225.8			
Colon, Rectum, and Anus Cancer	123	22.3	18.2	15.4 - 20.9		X	
Breast Cancer	81	25.9	25.7	21.8 - 29.5			
Prostate Cancer	63	30.8	29.1	24.7 - 33.4			
Diabetes Mellitus	177	32.2	27.1	23.0 - 31.1		X	
Pneumonia and Influenza	147	26.8	22.5	19.1 - 25.8		X	
Chronic Lower Respiratory	333	60.3	47.1	40.0 - 54.1		X	
Chronic Liver Disease and Cirrhosis	58	10.7	8.8	7.4 - 10.1		X	
Septicemia	102	18.6	14.4	12.2 - 16.5		X	
Nephritis, Nephrosis, and Neph. Syndrome	121	21.6	18.2	15.4 - 20.9		X	
Motor Vehicle Unintentional Injuries	126	28.3	19.1	16.2 - 21.9		X	
All Other Unintentional Injuries	170	34.2	27.0	22.9 - 31.0		X	
Suicide	67	13.8	11.6	9.8 - 13.3		X	
Homicide	40	8.7	7.2	6.1 - 8.2		X	
HIV	16	3.5	5.1	4.3 - 5.8	X		
Alzheimer's Disease	116	20.8	27.7	23.5 - 31.8	X		
Total Deaths-All Causes	5,300	980.0	885.2	752.4 - 1,017.9			
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						14	
Age-Adjusted Death Rates for Selected Causes for Whites per 100,000 Population, 2002-2006, Rockingham County							
Indicator	Number of Deaths	County	North	Average			
	in Rockingham	Rate	Carolina	State Range			
	County		Rate		Low	High	

Diseases of the Heart	1,051	229.3	209.7	178.2 - 241.1			
Cerebrovascular Disease	317	68.9	56.5	48.0 - 64.9		X	
Cancer- All Sites	992	217.3	190.2	161.6 - 218.7			
Colon, Rectum, and Anus Cancer	101	22.1	17.0	14.4 - 19.5		X	
Breast Cancer	65	25.5	23.7	20.1 - 27.2			
Prostate Cancer	43	24.9	23.2	19.7 - 26.6			
Diabetes Mellitus	131	28.7	21.4	18.1 - 24.6		X	
Pneumonia and Influenza	125	27.3	22.8	19.3 - 26.2		X	
Chronic Lower Respiratory	292	63.4	50.7	43.0 - 58.3		X	
Chronic Liver Disease and Cirrhosis	52	11.7	8.9	7.5 - 10.2		X	
Septicemia	82	17.8	12.7	10.7 - 14.6		X	
Nephritis, Nephrosis, and Neph. Syndrome	91	19.4	14.7	12.4 - 16.9		X	
Motor Vehicle Unintentional Injuries	103	28.9	19.2	16.3 - 22.0		X	
All Other Unintentional Injuries	145	36.1	28.4	24.1 - 32.6		X	
Suicide	62	15.7	13.5	11.4 - 15.5		X	
Homicide	22	5.9	4.3	3.6 - 4.9		X	
HIV	3	0.8	1.4	1.1 - 1.6	X		
Alzheimer's Disease	109	23.3	29.0	24.6 - 33.3	X		
Total Deaths-All Causes	4,314	960.8	846.9	719.8 - 973.9			

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008

15

Age-Adjusted Death Rates for Selected Causes for Minorities per 100,000 Population, 2002-2006, Rockingham County

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range	Low	High
Diseases of the Heart	259	275.9	249.6	212.1 - 287.0		
Cerebrovascular Disease	82	89.2	80.5	68.4 - 92.5		
Cancer -All Sites	212	226.4	221.0	187.8 - 254.1		
Colon, Rectum, and Anus Cancer	22	23.7	23.2	19.7 - 26.6		
Breast Cancer	16	28.5	32.4	27.5 - 37.2		
Prostate Cancer	20	63.0	60.3	51.2 - 69.3		
Diabetes Mellitus	46	49.4	52.8	44.8 - 60.7		
Pneumonia and Influenza	22	24.4	20.8	17.6 - 23.9		X

Chronic Lower Respiratory	41	43.9	29.3	24.9 - 33.6		X	
Chronic Liver Disease and Cirrhosis	6	5.7	8.1	6.8 - 9.3	X		
Septicemia	20	22.1	22.0	18.7 - 25.3			
Nephritis, Nephrosis, and Neph. Syndrome	30	31.8	33.8	28.7 - 38.8			
Motor Vehicle Unintentional Injuries	23	25.5	19.1	16.2 - 21.9		X	
All Other Unintentional Injuries	25	26.6	21.8	18.5 - 25.0		X	
Suicide	5	5.7	5.3	4.5 - 6.0			
Homicide	18	19.4	15.2	12.9 - 17.4		X	
HIV	13	13.7	16.6	14.1 - 19.0	X		
Alzheimer's Disease	7	7.7	21.6	18.3 - 24.8	X		
Total Deaths-All Causes	986	1,060.9	1,026.8	872.7 - 1,180.8			
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						16	
Age-Adjusted Death Rates for Selected Causes for Males per 100,000 Population, 2002-2006, Rockingham County							
Indicator	Number of Deaths	County	North	Average			
	in Rockingham	Rate	Carolina	State Range			
	County		Rate		Low	High	
Diseases of the Heart	666	306.7	275.3	234.0 - 316.5			
Cerebrovascular Disease	147	72.5	62.1	52.7 - 71.4		X	
Cancer - All Sites	654	291.0	250.0	212.5 - 287.5		X	
Colon, Rectum, and Anus Cancer	65	28.8	21.9	18.6 - 25.1		X	
Prostate Cancer	63	30.8	29.1	24.7 - 33.4			
Diabetes Mellitus	73	32.3	30.2	25.6 - 34.7			
Pneumonia and Influenza	68	34.6	26.6	22.6 - 30.5		X	
Chronic Lower Respiratory	163	76.1	60.1	51.0 - 69.1		X	
Chronic Liver Disease and Cirrhosis	38	15.4	12.5	10.6 - 14.3		X	
Septicemia	42	19.9	15.7	13.3 - 18.0		X	
Nephritis, Nephrosis, and Neph. Syndrome	55	25.8	21.5	18.2 - 24.7		X	
Motor Vehicle Unintentional Injuries	85	40.0	27.2	23.1 - 31.2		X	
All Other Unintentional Injuries	98	44.1	36.1	30.6 - 41.5		X	
Suicide	55	24.6	19.2	16.3 - 22.0		X	
Homicide	34	14.9	10.9	9.2 - 12.5		X	
HIV	12	5.2	7.1	6.0 - 8.1	X		
Alzheimer's Disease	30	16.2	22.0	18.7 - 25.3	X		

Total Deaths-All Causes	2,618	1,209.7	1,066.3	906.3 - 1,226.2		
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008					17	
Age-Adjusted Death Rates for Selected Causes for Females per 100,000 Population, 2002-2006 Rockingham County						
Indicator	Number of Deaths	County	North	Average		
	in Rockingham	Rate	Carolina	State Range		
	County		Rate		Low	High
Diseases of the Heart	644	186.3	174.9	148.6 - 201.1		
Cerebrovascular Disease	252	72.6	59.5	50.5 - 68.4		X
Cancer - All Sites	550	174.2	161.2	137.0 - 185.3		
Colon, Rectum, and Anus Cancer	58	17.7	15.5	13.1 - 17.8		
Breast Cancer	80	25.6	25.5	21.6 - 29.3		
Diabetes Mellitus	104	31.5	24.5	20.8 - 28.1		X
Pneumonia and Influenza	79	22.4	20.1	17.0 - 23.1		
Chronic Lower Respiratory	170	51.4	39.5	33.5 - 45.4		X
Chronic Liver Disease and Cirrhosis	20	6.3	5.6	4.7 - 6.4		
Septicemia	60	17.6	13.6	11.5 - 15.6		X
Nephritis, Nephrosis, and Neph. Syndrome	66	19.1	16.2	13.7 - 18.6		X
Motor Vehicle Unintentional Injuries	41	17.2	11.6	9.8 -13.3		X
All Other Unintentional Injuries	72	24.4	19.0	16.1 - 21.8		X
Suicide	12	4.9	4.9	4.1 - 5.6		
Homicide	6	2.4	3.3	2.8 - 3.7	X	
HIV	4	1.9	3.1	2.6 - 3.5	X	
Alzheimer's Disease	86	22.9	30.3	25.7 - 34.8	X	
Total Deaths-All Causes	2,682	811.9	747.4	635.2 - 859.5		
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008					18	
Unintentional injury deaths by presence of alcohol >=15 Years , 2000-2002, Rockingham County						
Indicator	Number of Deaths	County	North	Average		
	in Rockingham	Rate	Carolina	State Range		
	County		Rate		Low	High

Tested for Alcohol-Total Deaths	104	NA	NA	NA			
Amount for Alcohol (.01-.07)	6	5.8%	6.9%	5.8% - 7.9%			
Amount for Alchol (.08+)	33	31.7%	24.9%	21.1% - 28.6%		X	
Tested Negative	65	62.5%	68.2%	57.9% - 78.4%			
Motor Vehicles	56	53.8%	50.5%	42.9 % - 58.0%			
Fire	12	11.5%	4.3%	3.6% - 4.9%		X	
Fall	5	4.8%	6.6%	5.6% - 7.5%	X		
Drowning	0	0.0%	3.5%	2.9% - 4.0%	X		
Other Accidents	31	29.8%	35.1%	29.8% - 40.3%			
Crude Death Rates for Selected Causes, 2002-2006, Rockingham County							
Indicator	Number of Deaths	County	North	Average			
	in Rockingham	Rate	Carolina	State Range			
	County		Rate		Low	High	
Diseases of the Heart	1,310	284.3	209.0	177.6 - 240.3		X	
Cerebrovascular Disease	399	86.6	57.8	49.1 - 66.4		X	
Chronic Lower Respiratory Disease	333	72.3	45.1	38.3 - 51.8		X	
Diabetes Mellitus	177	38.4	26.4	22.4 - 30.3		X	
Cancer-All Sites	1,204	261.3	193.0	164.0 - 221.9		X	
Other Unintentional Injuries	170	36.9	26.4	22.4 - 30.3		X	
Pneumonia and Influenza	147	31.9	21.2	18.0 - 24.3		X	
Motor Vehicle Unintentional Injuries	126	27.3	19.3	16.4 - 22.1		X	
Nephritis, Nephrosis, Nephrotic Syndrome	121	26.3	17.4	14.7 - 20.0		X	
Alzheimer's Disease	116	25.2	25.6	21.7 - 29.4			
All Causes	5,300	1,150.2	854.6	726.4 - 982.7		X	
Sources: North Carolina OCME Datat, 2000-2002							
State Center for Health Statistics (North Carolina County Health Data Book), 2008						19	
Communicable Disease Case Rates per 100,000 Population, 2002-2006, Rockingham County							
Indicator	Number of Events	County	North	State Average			
	in Rockingham	Rate	Carolina	Range			
	County		Rate		Low	High	

AIDS	14	3.0	12.4	10.5 - 14.2	X	
Gonorrhea-Total	753	163.4	182.0	154.7 - 209.3		
Gonorrhea-Minority	461	492.5	585.0	497.2 - 672.7	X	
Syphilis-Total	6	1.3	2.8	2.3 - 3.2	X	
Syphilis-Minority	3	3.2	7.6	6.4 - 8.7	X	
Age-Adjusted Cancer Incidence Rates per 100,000 Population, 2002-2004, Rockingham County						
Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
All Cancer	2,568	478.7	452.1	384.2 - 519.9		
Colon/Rectum	325	59.8	47.7	40.5 - 54.8		X
Lung/Bronchus Cancer	472	86.8	69.9	59.4 - 80.3		X
Female Breast Cancer	418	144.4	145.6	123.7 - 167.4		
Prostate Cancer	301	126.2	151.1	128.4 - 173.7	X	
Per Capita Medicaid Payments 2004-2005 and Lead Screening Data for Children Ages 1 to 2 Years, 2007 Rockingham County						
Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Total Population Enrolled						
Per Capita Medicaid Payments	21.2	\$1,101	\$885	\$752 - \$1,017		X
2007 Childhood Lead Screening Data						
1-and 2- year olds % screened		38.2%	42.8%	36.3% - 49.2%		
1-and 2- year olds % > or = 10 ug/dL (Elevated)		1.0%	0.8%	.68% - .92%		X
Sources: State Center for Health Statistics, 2008 Action for Children, 2007 Child Health Report Card						20
Inpatient Hospital Discharge per 1,000 Population, 2006, Rockingham County						
Indicator	Total Cases in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High

Septicemia	316	3.4	1.8	1.5 - 2.0		X	
AIDS	9	0.1	0.2	.17 - .23	X		
Malignant Neoplasms (Total Cancer)	494	5.4	3.9	3.3 - 4.4		X	
Colon, Rectum, and Anus Cancer	66	0.7	0.5	.42 - .57		X	
Trachea, Bronchus, Lung Cancer	92	1.0	0.6	.51 - .69		X	
Female Breast Cancer	21	0.2	0.2	.17 - .23			
Prostate Cancer	36	0.4	0.3	.25 - .34		X	
Diabetes	277	3.0	1.8	1.5 - 2.0		X	
Heart Disease	1,703	18.5	12.7	10.7 - 14.6		X	
Cerebrovascular Disease	373	4.1	3.1	2.6 - 3.5		X	
Pneumonia and Influenza	600	6.5	3.7	3.1 - 4.2		X	
Chronic Obstructive Pulmonary Disease	656	7.1	3.2	2.7 - 3.6		X	
Chronic Liver Disease and Cirrhosis	49	0.5	0.3	.25 - .34		X	
Nephritis, Nephrosis, and Neph. Syndrome	154	1.7	1.3	1.1 - 1.4		X	
Injuries and Poisoning	1,074	11.7	8.6	7.3 - 9.8		X	
All Conditions	13,595	148.0	108.4	92.1 - 124.6		X	
State Center for Health Statistics (North Carolina County Health Data Book), 2008						21	
Inpatient Hospital Days Stay Rate per 1,000 Population, 2006, Rockingham County							
Indicator	Aver Days Stay	County	North	State Average			
	in Rockingham	Rate	Carolina	Range			
	County		Rate		Low	High	
Septicemia	7.4	25.6	15.6	13.2 - 17.9		X	
AIDS	6.9	0.7	1.9	1.6 - 2.1	X		
Malignant Neoplasms	6.9	37.1	27.4	23.2 - 31.5		X	
Colon, Rectum, and Anus Cancer	9.9	7.1	4.1	3.4 - 4.7		X	
Trachea, Bronchus, Lung Cancer	8.2	8.2	4.4	3.7 - 5.0		X	
Female Breast Cancer	2.3	0.5	0.6	.51 - .69	X		
Prostate Cancer	3.3	1.3	0.9	.76 - 1.03		X	
Diabetes	4.4	13.3	9.5	8.0 - 10.9		X	
Heart Disease	5.1	94.8	60.2	51.1 - 69.2		X	
Cerebrovascular Disease	4.9	20.0	16.3	13.8 - 18.7		X	
Pneumonia and Influenza	5.1	33.4	20.1	17.0 - 23.1		X	
Chronic Obstructive Pulmonary Disease	4.3	30.6	14.2	12.0 - 16.3		X	

Chronic Liver Disease and Cirrhosis	5.2	2.8	2.0	1.7 - 2.3		X	
Nephritis, Nephrosis, and Neph. Syndrome	6.0	10.1	8.5	7.2 - 9.7		X	
Injuries and Posioning	5.5	64.8	48.9	41.5 - 56.2		X	
All Conditions	4.9	720.2	536.3	455.8 - 616.7		X	
State Center for Health Statistics (North Carolina County Health Data Book), 2008						22	
Inpatient Hospital Average Charge per Case, 2006, Rockingham County							
Indicator	Rockingham	County Aver	NC Aver	State Average			
	County Total	Charge	Charge	Range			
	Charges	per Case	per Case		Low	High	
Septicemia	\$6,108,394	\$19,392	\$32,363	\$27,508 - \$37,217	X		
AIDS	\$216,359	\$24,040	\$29,215	\$24,832 - \$33,597	X		
Malignant Neoplams (Total Cancer)	\$10,238,298	\$20,725	\$28,491	\$24,217 - \$32,764	X		
Colon, Rectum, and Anus Cancer	\$1,926,920	\$29,196	\$32,751	\$27,838 - \$37,663			
Trachea, Bronchus, Lung Cancer	\$2,113,415	\$22,972	\$28,568	\$24,282 - \$32,853	X		
Female Breast Cancer	\$268,856	\$12,803	\$15,046	\$12,789 - \$17,302			
Prostate Cancer	\$506,748	\$14,076	\$18,865	\$16,035 - \$21,694	X		
Diabetes	\$2,342,503	\$8,457	\$15,877	\$13,495 - \$18,258	X		
Heart Disease	\$35,197,021	\$20,668	\$29,380	\$24,973 - \$33,787	X		
Cerebrovascular Disease	\$5,248,769	\$14,110	\$21,106	\$17,940 - \$24,271	X		
Pneumonia and Influenza	\$6,095,481	\$10,159	\$15,782	\$13,414 - \$18,149	X		
Chronic Obstructive Pulmonary Disease	\$5,794,868	\$8,834	\$12,455	\$10,586 - \$14,323	X		
Chronic Liver Disease and Cirrhosis	\$454,629	\$9,278	\$23,223	\$19,739 - \$26,706	X		
Nephritis, Nephrosis, and Neph. Syndrome	\$2,018,435	\$13,107	\$19,382	\$16,474 - \$22,289	X		
Injuries and Posioning	\$19,597,188	\$18,247	\$26,884	\$22,851 - \$30,916	X		
All Conditions	\$192,036,370	\$14,130	\$19,236	\$16,350 - \$22,121	X		
State Center for Health Statistics (North Carolina County Health Data Book), 2008						23	
Asthma Hospital Discharges with Primary Diagnosis of Asthma and Hospital Discharges, 2006, Rockingham County							
Indicator	Number of Events	County	North	State Average			
	in Rockingham	Rate	Carolina	Range			
	County		Rate		Low	High	

Hospital Discharges Rate with Primary Diagnosis of Asthma -All Ages	234	254.8	118.5	100.7 - 136.2		
Hospital Discharges Rate - Ages 0-14 Years	53	306.7	152.8	129.8 - 175.7		X
Client Activity and Utilization by Area North Carolina Area Programs By Region, FY 2005-2006 per 100,000 Rockingham County						
Indicator	Number of Events in Rockingham County	County Rate	North Carolina	State Average Range		
					Low	High
Area Mental Health Programs						
Alamance-Caswell-Rockingham Region						
Admissions		1,073.0	868.0	737.8 - 998.2	X	
Admissions by age group by region						
Children (0-17)		956.0	846.0	719.0 - 972.9		
Adults (18-65)		944.0	868.0	737.8 - 998.2		
Total		944.0	939.0	798.1 - 1,079.8		
Sources: State Center for Health Statistics (North Carolina County Health Data Book), 2008						
North Carolina Division of Mental Health, Developmental Disabilities and Substance Abuse Services, 2007						
						24
Local Health Department and NC Health Professionals per 10,000 Population, 2006 Rockingham County						
Indicator	Number of Personnel in Rockingham County	County Rate	North Carolina Rate	State Average Range		
					Low	High
Local Health Department Data as of February 2008						
Persons per Administrative Staff	8	8.9	20.0	17.0 - 23.0		X
Persons per Nurse	21	23.5	29.0	24.6 - 33.3		X
Persons per Health Department Staff	89		8,006			
NC Health Professionals Data System, 2006						
Non Federal Physicians	106	11.5	20.8	17.6 - 23.9		X

Physician Assistants	14	1.5	3.2	2.7 - 3.6		X
Registered Nurse	476	51.8	92.9	78.9 - 106.8		X
Dentist	26	2.8	4.4	3.7 - 5.0		X
Certified Nurse Midwife (Female 15-44)	1	0.6	1.1	.93 - 1.2		X
Nurse Practitioner	11	1.2	3.0	2.5 - 3.4		X
Pharmacists	81	8.8	8.9	7.5 - 10.2		
Primary Care Physician	58	6.3	9	7.6 - 10.3		X
Dental Hygienist	58	6.3	5.3	4.5 - 6.0	X	
Psychologist	1	0.1	2.0	1.7 - 2.3		X
Psychological Associates	2	0.2	1.0	.85 - 1.1		X
Sources: State Center for Health Statistics (local Health Department Staffing and Services Summary) 2005						
UNC Sheps Center for Health Services Research, 2007						25
Pregnancy Nutrition Surveillance; Women, Infant, and Children Program Percentages, 2007 Rockingham County						
Indicator	Number of Events	County	North	State Average		
	in Rockingham	Rate	Carolina	Range		
	County		Rate		Low	High
<i>Nutritional and Health Care Profile</i>						
Mothers who smoke during pregnancy	99	31.8%	19.0%	16.1% - 21.8%		X
Mothers with low hemoglobin or low hematocrit	14	4.5%	10.8%	9.1% - 12.4%	X	
Mothers with underweight body mass index (BMI)	32	10.2%	9.2%	7.8% - 10.5%		
Mothers with overweight BMI	144	46.3%	44.3%	37.6% - 50.9%		
<i>Child Health, End of October 2007 Participants</i>						
Infant WIC Enrolled		666	67,038			
Child WIC Enrolled		1,148	122,208			
Breast and Cervical Cancer Control Program (BCCCP) Screenings Performance, 2006-2007 Rockingham County						
Indicator	Number of Events	County	North	State Average		
	in Rockingham	Rate	Carolina	Range		
	County		Rate		Low	High
% of BCCCP Screening Goal Reached	147	86.0%	109.0%	92.6% - 125.3%		X
Percent of Mammograms Provided to	127	88.2%	82.9%	70.4% - 95.0%		

women >50 years						
% of Paps provided to women rarely screened	75	44.0%	32.7%	27.7% - 37.6%	X	
Sources: Rockingham County Department of Public Health (WIC report)						
North Carolina BCCCP Report 2006-2007, Rockingham County Department of Public Health BCCCP Report 2007						26
Percent of Population Without Health Insurance, Rockingham County						
Indicator		County	North	State Average		
		Rate	Carolina	Range		
			Rate		Low	High
Total Population Ages 0-64						
2001		19.1%	17.7%	15.0% - 20.3%		
2002		19.6%	19.0%	16.1% - 21.8%		
2003		20.5%	19.4%	16.4% - 22.3%		
2004		19.5%	17.5%	14.8% - 20.1%		
2005		18.0%	17.2%	14.6% - 19.7%		
2005						
Ages 0-17 Years		11.7%	11.3%	9.6% - 12.9%		
Ages 18-64 Years		20.4%	19.5%	16.5% - 22.4%		
Calibrated Dental Screening Data for Kindergarten and Fifth Grade Children, 2006-2007 Rockingham County						
Indicator	Number of Events	County	North	State Average		
	in Rockingham	Rate	Carolina	Range		
	County		Rate		Low	High
Kindergarten Children						
% Children Screened	1,094	95.0%	78.0%	66.3% - 89.7%	X	
% Children Cavity-Free		55.0%	61.0%	51.8% - 70.15%		
% Children with Untreated Decay		24.0%	19.0%	16.1% - 21.8%		X
Average dmft/child		1.8	1.7	1.4 - 1.9		
Average dt/child		0.8	0.6	.47 - .64		X
Fifth Grade Children						
% Children Screened	1,060	97.0%	81.0%	68.8% - 93.1%	X	
% Children Cavity-Free		76.0%	75.0%	63.7% - 86.2%		
% Children with Untreated Decay		4.0%	4.0%	3.4% - 4.6%		

Average dmft/child		0.43	0.54	.45 - .62	X	
Average dt/child		0.05	0.06	.05 - .06		
Percent with Sealants		39.0%	42.0%	35.7% - 48.3%		
Sources: Cecil S Sheps Center for Health Service Research (County Estimates of the Number of Uninsured in North Carolina) 2001-2005						
NC Division of Public Health, Oral Health Section (County Level Oral Health Status Data 2006-2007					27	
Education Data, Rockingham County						
Indicator	Number of Events	County	North	State Average		
	in Rockingham	Rate	Carolina	Range	Low	High
	County		Rate			
Grades 9-12 Retention Rate		64.1	64.7	54.9 - 74.4		
Grades 7-12 Dropout Rate 2004-2005	322	4.55	3.23	2.7 - 3.0		X
Grades 9-12 Dropout Rate 2004-2005	301	6.34	4.74	4.0 - 5.4		X
State per Pupil Expenditure 2006-2007		\$5,576	\$5,272	\$4,481 - \$6,062		
Federal per Pupil Expenditure 2006-2007		\$814	\$802	\$681 - \$922		
Local per Pupil Expenditure 2006-2007		\$1,437	\$1,949	\$1,656 - \$2,241		X
Total per Pupil Expenditure 2006-2007		\$7,827	\$8,023	\$6,819 - \$9,226		
% 4th Grade Students Proficient in Reading 2006-2007						
		82.9%	85.2%	72.4% - 97.9%		
% 4th Grade Students Proficient in Math 2006-2007						
		61.4%	67.7%	57.5% - 77.8%		
% 7th Grade Students Writing at or above grade level 2006-2007						
		45.9%	50.8%	43.1% - 58.4%		
Percent of Students Who Took the SAT 2006		60.3%	71.0%	60.3% - 81.6%		
Math SAT Score 2006		510.0	513.0	436.0 - 589.9		
Verbal SAT Score 2006		479.0	495.0	420.7 - 569.2		
Total SAT Score 2006		989.0	1008.0	856.8 - 1,159.2		
Violent Incidents Committed per 1,000 students 2006-2007						
	119	8.4%	7.7%	6.5% - 8.8%		
Source: NCDPI						
NCDPI/Curriculum and School Reform Services (NC Public Schools Annual Dropout Event Report) 2004-2005						
Rockingham County Schools Profile 2007						
NC Schools Report Cards (Rockingham County Schools) 2006-2007						
The Nation's Report Card (Mathematics, Reading 2007)						

NC Public Schools News Release 2006-2007 (Student Writing Scores Improve in 2006-2007)						
NC Public Schools 2006-2007 Annual Report on School Crime and Violence					28	
Community Health Data, Rockingham County						
Indicator	Number of Events	County	North	State Average		
	in Rockingham	Rate	Carolina	Range		
	County		Rate		Low	High
Index Crime Rate, 2005	N.A.	4,437.6	4,622.4	3,929.0 - 5,315.7		
Index Crime Rate, 2006	N.A.	4,717.3	4,649.3	3,951.9 - 5,346.6		
Violent Crime Rate, 2005	N.A.	277.6	478.5	406.7 - 550.2	X	
Violent Crime Rate, 2006	N.A.	258.7	483.0	410.5 - 555.4	X	
Property Crime Rate, 2005	N.A.	4,160.0	4,143.9	3,522.3 - 4,765.4		
Property Crime Rate, 2006	N.A.	4,458.6	4,166.4	3,541.4 - 4,791.3		
Juvenile Court Appearance Rate	205	21.8	18.8	15.9 - 21.6		X
Youth Development & Detention Center Admissions, 2006						
	93	6.6	5.8	4.9 - 6.6		
Percent Registered Voters as of October 2007	55,924	60%	63%	53.5% - 72.4%		
CPS Assessment Findings for Children						
Percent of Reported Children Substantiated, 2005-2006						
	163	18.9%	22.1%	18.7% - 25.4%		
Percent of Child Abuse Reports	37	4.3%	7.7%	6.5% - 8.8%	X	
Percent of Child Neglect Reports	811	94.2%	85.6%	72.7% - 98.4%		
Percent of Dependency Reports	5	0.6%	0.8%	.68% - .92%	X	
Sources: NC State Bureau of Investigation Division of Criminal Information						
NC Dpartment of Juvenile Justice and Delinquency Prevention 2006 Annual Report						
North Carolina Department of Social Services (Child Protective Services Assessment) 2005-2006					29	